

The Network Stack (2)

Lecture 6, Part 2: TCP Implementation

Dr Robert N. M. Watson

2020-2021




Evolving BSD/FreeBSD TCP implementation

Year	Version	Feature	
1983	4.2BSD	BSD sockets, TCP/IP implementation	Initial TCP R&D The commercial Internet and web hosting Multicore, 10gbps, ... More CC, more SMP
1986	4.3BSD	VJ/Karels congestion control	
1999	FreeBSD 3.1	sendfile(2)	
2000	FreeBSD 4.2	TCP accept filters	
2001	FreeBSD 4.4	TCP ISN randomisation	
2002	FreeBSD 4.5	TCP SYN cache/cookies	
2003	FreeBSD 5.0-5.1	IPv6, TCP TIMEWAIT state reduction	
2004	FreeBSD 5.2-5.3	TCP host cache, SACK, fine-grained locking	
2008	FreeBSD 6.3	TCP LRO, TSO	
2008	FreeBSD 7.0	T/TCP removed, socket-buffer autosizing	
2009	FreeBSD 7.1	Read-write locking, full TCP offload (TOE)	
2009	FreeBSD 8.0	TCP ECN	
2012	FreeBSD 9.0	Pluggable TCP congestion control, connection groups	


- ... changes continue to this day ... BBR, RCU, pluggable TCP, KTLS, ..
- Which changes have protocol-visible effects vs. only code?



Reminder: Send/receive paths in the network stack



Data structures – sockets, control blocks



Denial of Service (DoS) – state minimisation

- Yahoo!, Amazon, CNN taken down by SYN floods in February 2000
- Attackers exploit automatic state allocation to overload servers
 - TCP state itself
 - Underlying routing state
 - Cost of walking data structures
- Attackers spoof SYN packets with random source addresses
 - IPv4 address use is sparse, so no RST
- D. Borman: **TCP SYN cache** – minimise state for new connections
- D. Bernstein: **SYN cookies** – eliminate state entirely – at a cost
- J. Lemon: **TCP TIMEWAIT reduction** – minimise state during long close sequences (e.g., 2MSL)
- J. Lemon: **TCP TIMEWAIT recycle** – release state early under load





Figure 3: Time needed to connect() to remote system.




TCP connection lookup tables (original BSD)



- Global list of connections for monitoring (e.g., netstat)
- Connections are installed in a global hash table for lookup
 - NB: separate (similar) hash table for 2-tuple port-number allocations
- Tables protected by global read-write lock as reads dominate
 - New packets are more frequent than new connections

Reminder - Work dispatch: input path




- **Deferred dispatch:** **ithread** → **netisr thread** → **user thread**
- **Direct dispatch:** **ithread** → **user thread**
 - Pros: reduced latency, better cache locality, drop early on overload
 - Cons: reduced parallelism and work placement opportunities



An Evaluation of Network Stack Parallelization Strategies in Modern Operating Systems


Paul Willmann, Scott Rixner, and Alan L. Cox, USENIX ATC, 2006



- Network bandwidth growth > CPU frequency growth
- Locking overhead (space, contention) substantial
 - Getting ‘speedup’ is hard!
- Evaluate different strategies for TCP processing parallelisation
 - Message-based parallelism
 - Connection-based parallelism (threads)
 - Connection-based parallelism (locks)
- Coalescing locks over connections:
 - reduces overhead
 - increases parallelism



Connection groups, RSS (FreeBSD)



- From FreeBSD 9.x: **Connection groups** blend MsgP and ConnP-L models
 - PCBs assigned to group based on 4-tuple hash
 - Lookup requires group lock, not global lock
 - Global lock retained for 4-tuple reservation (e.g., setup, teardown)
- Problem: have to look at TCP headers (cache lines) to place work!
 - Microsoft: NIC **Receive-Side Steering (RSS)**
 - Multi-queue NICs deliver packets to queues using hash of 4-tuple
 - Align connection groups with RSS buckets / interrupt routing
- From FreeBSD 12.x: **Read-Copy-Update (RCU)** rather than RW locks protect lists

