

## 2006 Paper 10 Question 5

### Comparative Programming Languages

- (a) In order to remove the overhead of a function call, a programmer decides to replace all calls to a function `f` with the macro `F`, where `f` and `F` are defined as follows:

```
int f(int x) { return x+x;}
```

```
#define F(X) (X)+(X)
```

- (i) Give two valid C expressions involving `f` which produce different results when `F` is substituted for `f`. Justify your answer. [4 marks]
- (ii) State the C language feature which can be used to correctly remove the overhead of a function call. [1 mark]
- (b) Consider the following:

```
static struct link {
    int v;
    struct link *next;
} *head=0;

void convert(int a[], int len);
```

Write a function definition for `convert` which updates `head` to point to a linked-list containing the elements of `a` in the same order. You may assume `len` contains the number of elements in `a`. [5 marks]

- (c) Consider the following C++ declaration:

```
template<int n> int SumSquares();
```

- (i) Using function specialisation, provide an implementation of `SumSquares` so that, given an integer `N`, `SumSquares<N>()` returns:

$$\sum_{i=1}^N i^2$$

[5 marks]

- (ii) Compare and contrast the functionality of the C preprocessor and the C++ template system. Explain why it is not possible to write a C preprocessor macro to implement `SumSquares`. [5 marks]