

9 Algorithms 2 (djw1005)

We are given a directed graph g with edge costs ≥ 0 , and we wish to find the distance between two given vertices s and t . Your friend has the idea that we should waste less time exploring irrelevant parts of the graph, and suggests the following procedure:

“Run the standard version of Dijkstra’s algorithm `dijkstra(g, s)` starting at s ; and also run a variant `artskjid(g, t)` that starts at t and finds distances to t . Interleave these two by visiting one vertex with `dijkstra`, then one with `artskjid`, then one with `dijkstra`, and so on; terminate when one of them visits a vertex m that the other has already visited. Let $d = m.\text{distance}$ be the distance computed by `dijkstra`, and let $e = m.\text{ecnatsid}$ be the distance computed by `artskjid`; and return $d + e$.”

- (a) Explain how to implement `artskjid(g, t)` efficiently. What is the worst-case asymptotic running time of `artskjid`? [3 marks]
- (b) Does your friend’s procedure improve on the asymptotic worst-case time of simply running `dijkstra(g, s)`? Justify your answer. [8 marks]
- (c) Your friend gives the following argument for correctness: “Since `dijkstra` visits vertices in order of increasing distance from s , and `artskjid` visits in order of increasing distance to t , the point where they meet must be on the shortest path from s to t .”

Your friend’s procedure can in fact give an incorrect answer. Demonstrate the problem with your friend’s reasoning. [9 marks]